

# TNMG160408-GH

## Product Images



## Summary

- Super high hardness substrate in combination with nano class coating, with high resistance
- suitable for HRC<68, machining high-hardness weld scars, hardened steel, high-temperature alloys, chrome-plated rods, bearing steel, etc.

## Content

CODE
TNGG160404-GH
TNGG160408-GH
TNGG160412-GH
TNGG220404-GH
TMGG220408-GH
TNGG220412-GH
WNGG080404-GH
WMGG080408-GH

WNGG080412-GH
CNGG120404-GH
CNGG120408-GH
CNGG120412-GH
CNGG160404-GH
CNGG160408-GH
CNGG160412-GH
DNGG150404-GH
DNGG150408-GH
DNGG150604-GH
DNGG150608-GH
DNGG150612-GH
VNGG160404-GH
VNGG160408-GH
SNGG120404-GH
SNGG120408-GH
SNGG120412-GH
CCGT060204-GH
CCGT060208-GH
CCGT09T304-GH
CCGT09T308-GH
CCGT120404-GH
CCGT120408-GH
CCGT120412-GH
TCGT110204-GH

TCGT110208-GH
DCGT070204-GH
DCGT070208-GH
DCGT11T304-GH
DCGT11T308-GH
VBGT110304-GH
VBGT110308-GH
VBGT160404-GH
VBGT160408-GH
VCGT110304-GH
VCGT110308-GH
VCGT160404-GH
VCGT160408-GH